



TECNOGEN PK71TSS

Product price:

10,904.00 € tax excluded

Product description:

The TENAX series includes diesel generators, 1500 rpm, water or air cooled, with power from 5.5 to 2255 kVA max, providing three-phase voltage 400/230 V. Available in both open base and super

silenced versions, they are equipped with Perkins, John Deere,

Iveco Aifo or Lombardini industrial engines and alternators from leading global brands,

such as Leroy Somer, Stamford, Mecc Alte or Marelli.

The canopies, designed to guarantee an excellent level of

soundproofing and optimal engine cooling, are

made entirely of hot-dip galvanized steel and subsequently

painted with polyester powders, making them practically resistant

to atmospheric agents. Due to their characteristics, these machines are particularly suitable for continuous use in industrial environments and, in the super-silenced versions, for applications with automatic control panels in the residential sector. They are also available, upon request, with various engine options, including Cummins, Volvo, Deutz, and Mitsubishi.

The image is purely indicative.

Product features:

Phase: Three phase

Maximum power three phase (KW): 52.8 Maximum power three phase (KVA): 66

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 400

Engine: HONDA GC160 Engine rpm (rpm): 1500 Speed governor: Mechanical Starting system: Electric



Engine capacity (cm³): 3300

Number cylinders: 3 Cooling: Water

Fuel tank capacity (L): 109 Consumption (L/h): 9.5 Running time (h): 11.4

Acoustic pressure: 67 dB(A) at 7 m

Length (mm): 2450 Width (mm): 1050 Height (mm): 1450 Dry weight (Kg): 1750

Silenced: No

Super silenced: Yes

ATS Switch device: Optional

Voltage regulator: No

Engine manufacturer: Perkins

