



VTE PAGURO 8500 Marine Generator 8.5 kVA 50 Hz

Product price:

11.753,00 € tax excluded

Product description:

VTE PAGURO8500 super-silenced 8.5 KVA marine generator set

PAGURO8500 marine genset single-phase 8.5 KVA VTE PAGURO8500, with Lombardini 1500 rpm diesel engine and water-cooled with stainless steel water/air heat exchanger. To prevent damage to parts in contact with seawater, the components are all made of 316 L stainless steel. The noise emissions of 49 dB(A) of the VTE PAGURO8500 marine genset are very low as it is built with water cooling and a double anti-vibration system, making it one of the quietest in its category.

The PAGURO8500 marine genset with a 1500 rpm Lombardini diesel engine is compact, handy and space-saving and is suitable for use on various boats, excellent for powering your boat in complete peace of mind.

Technical characteristics:

Fuel: Diesel

Engine revs (rpm): 1500

Phase type: Single-phase

Single-phase continuous power (KVA): 8.5

Frequency (Hz): 50

Voltage (V): 230

Engine: Lombardini LDW 1404

Starter: Electric

Silenced: Supersilenced 49 dB(A)

Cooling: Fresh water with heat exchanger

Dry weight (kg): 200

Length (mm): 860

Width (mm): 560

Height (mm): 650

Engine





The Lombardini diesel-powered engine makes the PAGURO8500 marine genset efficient and reliable.

Designed with stainless steel water/air heat exchanger.

Alternator

The alternator is synchronous, brushless and with class H insulation. The capacitor regulation makes the PAGURO8500 marine genset excellent for powering sensitive electronic devices that fear voltage and current fluctuations (e.g. PCs, smartphones or household appliances).

It is also water-cooled via an AISI 316 L stainless steel heat exchanger.

Included with the PAGURO8500 marine genset alternator is the battery charger for the dedicated 12 V / 8 A starter battery.

Soundproofing capsule and double anti-vibration system

The reinforced fibreglass capsule with composite layering and the high-density soundproofing material coating make this generator set one of the most silent compared to its competitors.

The capsule allows installation even in cramped spaces, thanks to its composition: two upper parts and one lower part.

Finally, the dual anti-vibration system, internal with 4 soft mounts and external with 4 semi-elastic mounts, makes the PAGURO8500 marine genset stable even in less calm waters and silenced, so you can enjoy your navigation without further worries.

If you are looking for a different kind of product, you can consult our entire catalogue of marine gensets [Click HERE](#).

Non-binding images and technical data.

Product features:

Phase: Single phase

Continuous power single phase (KW): 8

Continuous power single phase (KVA): 8.5

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230

Engine: Lombardini LDW1404

Engine rpm (rpm): 1500

Starting system: Electric

Number cylinders: 4

Cooling: Fresh water with heat exchanger

Alternator: Synchronous, brushless

Consumption (L/h): 0.35

Acoustic pressure: 49 dB(A)

Length (mm): 860



Width (mm): 580
Height (mm): 650
Dry weight (Kg): 200
Silenced: Yes
Super silenced: Yes
Product type: Generator
Engine manufacturer: Lombardini