

## TELAIR ENERGY 2510G GAS WITH MANUAL CONTROL PANEL

Product price:

## 3.288,12 € tax excluded

## **Product description:**

Ø.

GENERATOR TELAIR ENERGY 2510G WITH MANUAL CONTROL PANEL

TELAIR ENERGY 2510G is a 2,5 KW vehicle generator with manual control panel, it is a new generation 230 V single phase **super-silenced** generator with Yamaha gas engine.

TELAIR ENERGY 2510G can be equipped with a fully automatic electronic starting system with remote control panel with 5 meters of cable equipped with: total and partial hour count, oil and gas level indicator light, high temperature warning with automatic engine stop.

The TELAIR ENERGY 2510G vehicular generator comes with a built-in 12 V / 10 A battery charger. Removable bottom drawer for an easy maintenance of the TELAIR ENERGY 2510G. The ASP panel allows the automatic switching on and off in case the vehicular generator is connected to a battery charger (230/12 Volt) with its battery.

THE TECHNICAL CHARACTERISTICS TELAIR ENERGY 2510G

Phase type: Single phase Maximum power: 2.5 KW Voltage: 230 V Frequency: 50 Hz Motor: YAMAHA MZ 175 Fuel: Gas Start: Electric Fuel consumption: 0. 8 Kg/h Acoustic pressure: 58 dBA @ 7m Width: 295 mm Length: 555 mm Height: 385 mm Weight: 60 Kg

PrestaShop

(R)

TELAIR ENERGY 2510G integrates perfectly on any type of motorhome both in its external shape and with every detail of the interior design. A continuous technical innovation fruit of a long experience, renewed and projected into the future by the enthusiasm, the imagination and the skills of a team of young designers TELAIR.

A choice of materials made according to strict tests and quality controls to ensure aesthetic inalterability and durability of the vehicular generator TELAIR ENERGY 2510G is a guarantee of a safe and durable efficiency.

If you are looking for a vehicle generator similar to TELAIR ENERGY 2510G then we suggest you browse our extensive catalog of vehicle generators.

Images and technical data are not binding.

## **Product features:**

NO

Phase: Single phase Maximum power single phase (KW): 2.5 Fuel: Gas Frequency (Hz): 50 Voltage (V): 230 Engine: Yamaha MZ175 Starting system: Electric Alternator: Synchronous Poles: 2 Gas consumption (Kg/h): 0.8 Acoustic pressure: 58 dB(A) at 7 m Length (mm): 555 Width (mm): 295 Height (mm): 385 Weight (Kg): 60