



HONDA Outboard BF 10 XRU Shaft 70 cm Remote control 7.4 kW 222 cm³

Product price:

3,100.00 € tax excluded

Product description:

HONDA Outboard BF10DK2 XRU 70 cm Shaft Drive

Honda BF10DK2 XRU are lightweight, compact outboard engine with a retractable handle that makes them easy to transport. They are perfect for inflatable boats, dinghies and skiffs, and can even be used as booster engines for large fishing boats and sailboats.

Honda BF10DK2 XRU consists of engine that has earned an excellent reputation for reliability, efficiency, low emissions and very low fuel consumption. These 4-stroke engines are easy to use thanks also to the programmed ignition (PGM-IG) that during starting, even when cold, always guarantees a prompt response. They are equipped with electric start need to keep the battery always in good condition. And if you have electric instrumentation on board, the powerful coil keeps the charge always at a high level and allows you to keep everything running, even at high speed.

Honda BF10DK2 during forward travel the propeller is driven normally through the water, as with all marine engines. In the reverse direction, however, Honda engines make a difference. On other outboards, the propeller turns by discharging bubbles but does not "grip" the water. In contrast, this unique reverse-discharge system directs the bubbles out of the propeller so it can "grip" the



water. The result is immediate response and very precise control.

Honda BF10DK2 XRU is light weight rises easily in steps. Upward or downward movement allows you to choose the optimal trim for your boat and get the most out of your performance and fuel economy. This also prevents damage to the propeller blades when the boat is near rocks or shallow water.

Honda BF10DK2 XRU are equipped with a reverse lever that allows you to change gear with your fingertips. Everything is much easier to use and better positioned than other outboards even for left-handed people. In addition, the soft-grip, twist-lock throttle grip minimizes operating effort, increasing handling.

Honda BF10DK2 have built-in retractable handles, positioned exactly at the balance point to make them really easy to carry and give them a sleek look even while in transit.

Honda BF10DK2 outboards are used by rangers to take their small boats out on the lake to do their bird counts in the early hours of the morning; so, not only do they need to be clean, they need to be quiet. They're so quiet that they don't disrupt the life of a still pristine environment.

TECHNICAL CHARACTERISTICS HONDA BF10DK2 XRU

Net Power (kW): 7.4
Net Power (Hp): 10
Displacement: 222 cm³
Shaft length: Long
Dry weight (Kg): 52.5
Starter: Electric / Manual
Ignition system: Electronic PGM-IG
Control type: Remote
Setup and engine lifting: Manual 5 positions
Transom height (mm): 703
Length (mm): 610
Width (mm): 345
Height (mm): 1375
Bore x stroke: 58 x 42 mm
Engine Brand: Honda
Engine Type: OHV, 4 stroke
Number of cylinders: 2
Speed at full throttle (rpm): 5000-6000
Cooling system: Water
Battery charging capacity (A): 12

Are you looking for an outboard with different technical characteristics? [Here](#) you can find the entire Honda range or other brands specializing in the field.



Images are indicative only.

Product features:

Fuel: Gasoline
Engine: OHV, 4 stroke
Ignition: Electronic PGM-IG
Starting system: Manual / Electric
Engine capacity (cm³): 222
Number cylinders: 2
Cooling: Water (with thermostat)
Bore x stroke (mm): 58 x 42
Reduction ratio: 2.33
Rpm at full throttle (rpm): 5000 - 6000
Appearance and engine lifting: Manual / Manual 5 position
Transom height (mm): 703
Net power (kW): 7.4
Fuel tank capacity (L): 12
Length (mm): 610
Width (mm): 345
Height (mm): 1375
Dry weight (Kg): 52.5
Shaft Length: X
Controls: Remote