



HONDA Outboard BF 50 LRTZ Remote Control 37.3 kW 50 Hp 808 cm³

Product price:

4.920,00 € tax excluded

Product description:

HONDA OUTBOARD BF50DK4 LRTZ

The Honda BF50DK4 LRTZ is a lightweight and compact 808 cm³ three-cylinder outboard engine with PGM-Fi electronic fuel injection for easy starting. Plus, with the Ignition Phase Advance System (BLAST™) and ECOMo fuel delivery control system, you get power with low fuel consumption.

Honda BF50DK4 LRTZ are lively, responsive outboards that deliver reliable performance for water enthusiasts. NMEA2000®-compliant, electronically fuel-injected outboards with optional helm control.

Exclusive Honda BLAST™ technology with PGM-Fi electronic injection delivers instant acceleration that gets you up to velocity very quickly. This is made possible by improved ignition timing accuracy, which develops more torque at low rpm, allowing you to reach cruising speed quickly.

Honda BF50DK4 LRTZ is complete with ECOMo automatically adjusts the mixture according to speed and load for maximum efficiency with minimum fuel consumption.

The high-power alternator generates an impressive 22 Amps of current, which keeps the battery in the best condition with a load capacity of 17 Amps and also powers all on-board electronic equipment.

Honda BF50DK4 LRTZ are NMEA2000® (National Marine Electronics Association) compliant, so they are compatible with all other NMEA2000®-compliant electronic devices, such as navigation and fishfinder systems. Engine velocity, temperature and fuel consumption data can be displayed via multifunction gauges.

Honda BF50DK4 LRTZ outboards have a multifunction control bar with an LED panel that



displays engine warning lights, oil pressure, overheating, engine management and battery charge. It also beeps if something happens while you're focused on other tasks

Precise low-speed control is just as important as high-speed handling, especially while fishing. The optional rudder control, through the control bar, simply adjusts the speed in 50 rpm increments, making it ideal for fishing.

TECHNICAL FEATURES HONDA BF50DK4 LRTZ

Net Power (kW): 37.3

Net Power (Hp): 50

Displacement: 808 cm³

Shank length: Long

Dry weight (Kg): 96

Starter: Electric

Ignition system: Electronic PGM-IG

Type of control Remote

Setup and engine lifting: Electric

Transom height (mm): 416

Length (mm): 694

Width (mm): 372

Height (mm): 1364

Bore x stroke: 70 x 70 mm

Engine Brand: Honda

Engine Type: OHV, 4 stroke

Number of cylinders: 3

Speed at full throttle (rpm): 5500-6000

Cooling system: Water

Battery charge capacity (A): 17

Propeller Rotation: Standard

Looking for an outboard with different technical specifications? Here you can find the entire Honda range or other brands specializing in the field.

Images are for illustrative purposes only.

Product features:

Fuel: Gasoline

Engine: OHV, 4 stroke

Ignition: Electronic PGM-IG

Starting system: Electric

Engine capacity (cm³): 808





Number cylinders: 3
Cooling: Water (with thermostat)
Bore x stroke (mm): 70 x 70
Reduction ratio: 2.08
Rpm at full throttle (rpm): 5500 - 6000
Appearance and engine lifting: Electric
Transom height (mm): 416
Net power (kW): 37.3
Fuel tank capacity (L): 25
Length (mm): 694
Width (mm): 372
Height (mm): 1364
Dry weight (Kg): 96
Shaft Length: L
Controls: Remote