



Shop name



PRAMAC E8000 THREE PHASE

Product price:

1,557.11 € tax excluded

Product description:

PRAMAC E8000 generator set Single-phase/Three-phase 6.6 KW

PRAMAC E8000 generator set single-phase/three-phase 6.6 KW with Honda GX390 engine at 3000 rpm in open version. The PRAMAC E8000 generator set single-phase/three-phase is equipped with manual recoil starter with self-winding mechanism. The PRAMAC E8000 generator set alternator is three-phase, with brushes with **compound** voltage regulator. The Honda engine makes this generator set **very reliable** as it is composed and built with high quality materials.

Thanks to its very low weight and its **compact dimensions** it is convenient to transport where you need it most. The PRAMAC E8000 single-phase/three-phase generator is suitable for outdoor use on small construction sites or for small outdoor jobs for hobby use.

Technical characteristics of the PRAMAC E8000 single-phase/three-phase generator:

Maximum power Single-phase: 3.2 KW
Continuous use power Single-phase: 2.96 KW
Maximum power Three-phase: 6.6 KW
Continuous use power Three-phase: 5.6 KW
Fuel: Petrol
Voltage: 230 V / 400 V
Frequency: 50 Hz
Engine: Honda GX390 Recoil
Starting: Recoil
Consumption: 2.9 Lt/h at 100% load
Length: 750 mm
Width: 578 mm
Height: 531 mm
Weight: 80 Kg
Compound

CONTROL PANEL



Controls:

- Switch: OFF - ON
- Ignition: Recoil start
- Fuel tap

Standard protections:

- Thermal protection
- Oil Guard (low oil level)

Sockets:

- N.1 SCHUKO 230V 16A IP54
- N.1 2P+T CEE 230V 16A IP44
- N.1 3P+N+T CEE 400V 16A IP44

The PRAMAC E8000 generator is a single-phase/three-phase petrol generator developed by Pramac to guarantee a high level of quality and performance at an attractive price. The PRAMAC E8000 generator is ideal for intensive applications, characterized by a robust structure with a load-bearing tubular frame that simplifies both its use and maintenance operations.

The E8000 generator is the essential machine to satisfy professional applications.

If you are looking for a generator set like the PRAMAC E8000 single-phase/three-phase generator then we recommend you browse our catalogue of [terrestrial generator sets](#) to find the one that best meets your needs.

Images and technical data are not binding. Please always consult the technical data sheet released by the manufacturer. Manel Service does not assume responsibility for any changes made by the manufacturer.

Product features:

- Phase: Single phase / Three phase
 - Maximum power single phase (KW): 3.2
 - Continuous power single phase (KW): 2.96
 - Maximum power single phase (KVA): 4
 - Continuous power single phase (KVA): 3.7
 - Maximum power three phase (KW): 6.6
 - Continuous power three phase (KW): 5.6
 - Maximum power three phase (KVA): 8.3
-



Continuous power three phase (KVA): 7

Fuel: Gasoline

Frequency (Hz): 50

Voltage (V): 230 / 400

Sockets configuration: 1 x 400V 16A 3P+N+T CEE IP44 - 1 x 230V 16A SCHUKO IP54 - 1 x 230V 16A 2P+T CEE IP44

Engine: Honda GX390 Recoil, naturally aspirated

Engine rpm (rpm): 3000

Speed governor: Mechanical

Ignition: Recoil

Starting system: Pull starter

Engine capacity (cm³): 389

Oil capacity (L): 1.1

Cooling: Air

Alternator: With brushes

Poles: 2

Fuel tank capacity (L): 6.1

Consumption (L/h): 2.1 at 75% of the load / 2.9 at 100% of the load

Running time (h): 2.9 at 75% of the load / 2.1 at 100% of the load

Acoustic power: 97 dB(A)

Acoustic pressure: 69 dB(A) at 7 m

Length (mm): 750

Width (mm): 578

Height (mm): 531

Dry weight (Kg): 80

Silenced: No

Super silenced: No

Product type: Generator

ATS Switch device : No

Voltage regulator: Compound

Engine manufacturer: Honda