



HONDA HRD536HX Petrol Self-Propelled Hydrostatic Lawnmower 2.7 kW

Product price:

1,033.00 € tax excluded

Product description:

HONDA HRD536HX PETROL SELF-PROPELLED HYDROSTATIC LAWNMOWER 2.7KW

HONDA HRD 536 HX hydrostatic transmission lawnmower with 53 cm width equipped with Roto-stop™. HONDA HRD 536 CTX lawnmower with its powerful "Pro" motors and 53 cm wide heavy-duty aluminum cutting plates is durable, reliable and suitable for professional use. HONDA HRD 536 CTX lawnmower can handle any situation. Demanding mowing operations on large lawns are easy and smooth thanks to this extremely robust mower that has look and reliability of a true professional.

Roto-Stop® function on HONDA HRD 536 CTX mower allows you to stop blade without turning off engine, which is ideal if you have to drive along a driveway or a gravel section. With other standard features such as the high airflow bag & double arm reinforcement (with handle attached to the cutting deck), it is not surprising that their name is HRD Professional.

Durable cutting plates

The cast aluminum cutting plates mounted on HONDA HRD 536 CTX lawnmower offer an excellent power-to-weight ratio and excellent corrosion resistance.

Maximum control, minimum difficulty

The hydrostatic control gives you maximum precision and continuous, uniform speed control.

Roto-stop® blade stop system

Roto-stop® system allows you to stop the blades quickly and safely without turning off motor. This feature of HONDA HRD 536 CTX lawnmower is ideal if you want to empty the grass catcher bag, remove debris or cross paths and driveways.

Cast iron drive shaft

The long life of HRD & HRH is guaranteed by the durable cast iron cylinder barrel and crankshaft.

Perfect for demanding work

Protected by a durable cast iron cutting deck and reinforced cutting deck handle, HRD & HRH are designed to adapt to the most demanding jobs.

Technical Specifications HONDA HRD536HX Lawnmower:

Engine: Honda GCV160, OHC, 4 strokes

Forward speed: 0-1.4 m/s

Material of cutting plate: Aluminum



Blade brake: Roto-stop®
Cutting position adjustment: 7
Grass collecting bag capacity: 83 Lt
Noise level: 98 dB(A)
Grass harvest time 100 m²: 07 min 31 sec
Time mulching grass 100 m²: 03 min 09 sec
Mulching system: Optional
Garden size: Large gardens (over 500 m²)
Length: 1575 mm
Width: 574 mm
Height: 1018 mm
Dry weight: 49.3 Kg
Cutting plate size: 53 cm
Cutting height: 14-76 mm

Are you considering another type of HONDA lawnmower? Discover the full range of [lawnmowers](#) to find the machine that best suits your needs.

Product features:

Fuel: Gasoline
Engine: Honda GCV160, OHC, 4-stroke
Engine rpm (rpm): 2800
Engine capacity (cm³): 163
Oil capacity (L): 0.65
Fuel tank capacity (L): 1.5
Length (mm): 1575
Width (mm): 574
Height (mm): 1018
Dry weight (Kg): 49.3
Self propelled: Yes
Cutter deck size (mm): 530
Grass bag capacity (Litres): 83
Lawn size suggested: Over 500 square meters
Mulching: Optional
Driving speed (m/s): 0 - 1.4
Cutting Height Positions: 7
Grass collection time per 100 m² turf (min:sec): 07:31
Time for mulching grass for 100 m² turf (min:sec): 03:09
Cutting height (mm): 14-76
Traction type: Hydrostatic



Shop name

Product type: Lawnmower

Engine manufacturer: Honda



PrestaShop