



SCHENKER MODULAR 300 DIGITAL INVERTER - WATERMAKER 300LT/H

Product price:

19,431.00 € tax excluded

Product description:

SCHENKER MODULAR 300 DIGITAL INVERTER - WATERMAKER 300LT/H

The SCHENKER MODULAR 300 DIGITAL INVERTER is a watermaker equipped with three 4" x 40" membranes, capable of producing 300 l/h of desalinated water.

The indicated flow rates are nominal and may vary by $\pm 20\%$ depending on actual operating conditions. Thanks to its extremely low power consumption, the watermakers can be powered directly by batteries. It is also possible to install the watermaker even without a generator.

With 80% lower energy consumption and no need for a generator, CO₂ emissions required for water production are reduced by over 85%. Only the SCHENKER MODULAR 300 DIGITAL INVERTER allows you to produce water while truly respecting the environment.

The use of the SCHENKER MODULAR 300 DIGITAL INVERTER is extremely simple, as no adjustments are required. In fact, all systems are equipped with automatic pressure regulation. Therefore, no direct access to the watermaker is necessary. All functions are performed remotely through the remote panel.

The SCHENKER MODULAR 300 DIGITAL INVERTER does not use high-pressure pumps. The result is extremely quiet operation with no vibrations. The parts of the SCHENKER MODULAR 300 DIGITAL INVERTER in contact with seawater are mainly made of carbon fiber or acetal resin. The SCHENKER MODULAR 300 DIGITAL INVERTER is therefore completely corrosion-free.

In the 2.0 systems, all components potentially subject to wear such as o-rings and traditional hydraulic seals have been eliminated. The sealing and sliding elements are made with innovative pads manufactured with nanotechnology. These materials exhibit abrasion resistance up to 15 times higher than steel.



The ERS has been specifically designed for marine applications and is built with materials completely unaffected by brackish water. Moving parts are reduced to a minimum, thanks to the patented solution that eliminates the need for pilot valves.

Kit contents:

- Watermaker with Energy Recovery System
- Feed pump with seawater filter
- Activated carbon filter with solenoid valve
- Seawater intake strainer
- Filter wrench
- Non-return valve
- Freshwater production hose (10 m)
- Electrical box
- Remote panel
- Remote panel extension (10 m)
- Installation kit (assortment of screws and fittings)
- Instruction manual

Standard functions:

- Automatic pressure regulation
- High pressure shut-off
- Low pressure shut-off
- Low voltage shut-off

Remote control functions:

- Remote start/stop
- Timer
- Automatic flushing
- Intensive flushing
- Periodic flushing
- Automatic start-up
- Hour counter
- Assisted maintenance
- Raymarine compatible

TECHNICAL SPECIFICATIONS SCHENKER MODULAR 300 DIGITAL INVERTER

Power: 2000 W

Power supply: 230 or 380 VAC

Capacity: 300 L/h

Membranes: 3 pcs 4" x 40"

Control panel: Digital

Length: 1281 mm

Width: 587 mm

Height: 422 mm



Weight: 145 Kg

Are you looking for a marine watermaker similar to the SCHENKER MODULAR 300 DIGITAL INVERTER but with different features? [CLICK HERE](#) and discover our full range.

Product features:

Power (W): 2000

Length (mm): 1281

Width (mm): 587

Height (mm): 422

Feed Type: 230 or 380 VAC

Production for hour at 25°C (Lt/h): 300

Daily production at 25°C (Lt/day): 7200

Membranes: n.3 4" x 40"

Remote panel: Digital

Weight (Kg): 145

