



# HONDA HP500HNXE Minidumper Crawler - Dumping body with hydraulic lifting

Product price:

**4,683.00 € tax excluded**

## Product description:

### **HONDA HP500HNXE Minidumper Tracked - Tipping body with hydraulic lifting**

The **HONDA HP500HNXE** Minidumper Tracked is a compact and powerful machine, designed for transporting materials on difficult terrain, ideal for construction sites, gardening, agriculture and maintenance.

Equipped with a Honda GXV 160 163cc engine and a power of 4.8 HP (3.6 kW at 3600 rpm), | it offers reliability and consistent performance over time.

The tipping body is equipped with a **hydraulic pantograph lifting system**, which guarantees practicality and safety when unloading the material.

The **hydrostatic transmission** and **mechanical steering clutches in oil bath** ensure smooth and controlled driving even on slopes and uneven surfaces.

Main features HONDA HP500HNXE Minidumper Cingolato:

Engine Honda GXV 160

Displacement 163cc

Power (HP/KW at 3600g/min) 4.8/3.6

Starter Self-recoil

Tank capacity 03 lt.

---



Transmission Hydrostatic

Max. forward speed 0-4.3km/h

Max. reverse speed 0 - 3.6km/h

Hydrostatic clutch

Safety clutch

Life saver with machine brake

Machine brake Mechanical

Steering clutch Mechanical in oil bath

Lifting Hydraulic box with pantograph system

Max length 2140 mm

Max width 650 mm

Max height 1100 mm

Track dimensions 180 x 2220 mm

Max track width 600 mm

Handlebar height 950 mm

Body dimensions length X width X height 760 X 1425 X 592 mm

Dumper capacity / Load capacity 330lt

Load capacity on flat surfaces 500kg

Load capacity on slopes 350kg

Dry weight 244 kg

Are you looking for a tracked forklift with different technical characteristics? [HERE](#) you can find the entire range of Honda tracked trolleys or other specialized brands.

---



Images and technical data are not binding. Please always consult the technical data sheet released by the manufacturer. Manel service does not assume responsibility for any changes made by the manufacturer.

**Product features:**

Engine: Honda GXV160  
Engine rpm (rpm): 3.600  
Starting system: Recoil  
Engine capacity (cm<sup>3</sup>): 163  
Transmission: Hydrostatics  
Capacità di carico in piano (Kg): 500  
Capacità di carico in pendenza (Kg): 350  
Weight (Kg): 244  
protezione da sovratensione: 3600  
Lifesaver: with machine brake  
Lifting the box: hydraulic with pantograph system  
Max Length: 2140 mm  
Max width: 650 mm  
Max Height: 1100 mm  
Track Dimensions: 180 x 2220 mm  
Maximum lane width: 600 mm  
Handlebar height: 950 mm  
Dim body length. X width X height: 760 X 1425 X 592 mm  
Dumper capacity / capacity: 330LT

