



FISCHER PANDA 5000i Neo PMS 60 Hz Inverter Sea Generating Set 5 kVA 4 kW

Product price:

9.021,00 € tax excluded

Product description:

FISCHER PANDA 5000i 60 Hz marine generator super-silenced 5 KVA

Generator Fischer Panda 5000i 60 Hz, designed to be compact, quiet and powerful with up to 30% weight and space savings! The Fischer Panda 5000i 60 Hz marine generator is ideal for yacht owners who require low noise and vibration levels.

The Fischer Panda 5000i 60 Hz marine generator features modern, innovative and environmentally friendly **inverter** technology.

The speed of the diesel engine is adjusted to suit the user's varying power requirements, while the output voltage from the inverter remains constant at all times. Variable speed control significantly reduces exhaust emissions and fuel consumption compared to a conventional fixed speed generator. The maximum engine speed of the Fischer Panda 5000i 60 Hz marine generator is 2800 rpm. The electrical load is supplied with a constant output voltage of 230 V / 50 Hz or 120 V / 60 Hz via an inverter.

Phase type: Single phase

Maximum single phase power: 0-4 KW

Maximum single phase power: 0-3.6 KW

Maximum single phase power: 0-5 KVA

Maximum single phase power: 0-4. 5 KVA

Frequency: 60 Hz

Voltage: 120 V

Motor RPM: 2500-3250 RPM

Displacement: 309

Cooling: Water

Soundproofing: GFK

Sound pressure: 54 dB(A) at 7 m

Inverter





Length: 426 mm
Width: 456 mm
Height: 509 mm
Dry weight: 67 kg

- Small size and light weight - compact installation
- Highly efficient - maximum energy
- Variable speed depending on load
- 230 V AC output - reliable power supply
- Pure sine wave is ideal for sensitive electronics
- High starting capacity for air conditioners/compressors
- Easy to install - no forced air circulation required in the engine room
- Environmentally friendly - low fuel consumption
- Optional CAN SAE J1939 interface

The 5000i 60 Hz marine generator features Fischer Panda's renowned sound insulation and water cooling.

The new 5000i 60 Hz marine generator set takes full advantage of modern diesel engines designed to run at lower speeds and meet current emission standards.

High performance

High starting performance for inductive loads such as air conditioning and underwater compressors, and the clean sine waveform with its precise voltage and frequency regulation ensures stable and efficient power for sensitive electronic devices.

- High starting capacity for air conditioners/compressors, which means there is no need to select large generators for starting currents.
- Highly efficient - maximum energy
- Pure sine wave ideal for sensitive electronics
- Reliable power supply (230V AC output)

Compact design

The low weight and compact size of the 5000i 60 Hz marine generator set allows the generator to be installed in very tight spaces.

- Low weight
- Compact design
- Requires only minimal space.

Digital display

The new iControl2 from Fischer Panda is capable of recording and reading more data. Automatic start function that allows the generator to start via an external electrical pulse. For example: a battery monitoring module could measure the battery level and give a signal to automatically start the Fischer Panda i-generator if it is below a preset value.

If you are looking for a marine generator like the 5000i 60 Hz then you can browse the entire





catalog of marine generators.

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 4

Continuous power single phase (KW): 3.6

Maximum power single phase (KVA): 5

Continuous power single phase (KVA): 4.5

Fuel: Diesel

Frequency (Hz): 60

Voltage (V): 120

Engine rpm (rpm): 2500 - 3250

Speed governor: Electronic

Engine capacity (cm³): 309

Number cylinders: 1

Oil capacity (L): 2.1

Cooling: Water

Poles: 2

Bore x stroke (mm): 78 x 64

Motor insulation class: H

Length (mm): 426

Width (mm): 456

Height (mm): 510

Dry weight (Kg): 67

Silenced: Yes

Super silenced: Yes

Voltage regulator: Inverter

Engine manufacturer: Fischer Panda