



VTE PAGURO 3SY 115V 60Hz NO EPA

Product description:

VTE PAGURO 3SY 115V 60Hz NO EPA

The PAGURO 3SY VTE single phase 3 KVA generator set, with Yanmar diesel powered 3000 rpm engine and water cooled with stainless steel water/air heat exchanger.

All parts in contact with seawater are made of 316 L stainless steel.

Thanks to the water cooling and the double anti-vibration system, vibrations are reduced to a minimum making the VTE PAGURO 3SY **super-silenced** marine generator set one of the lowest noise emissions in its category.

The compact and space-saving VTE PAGURO 3SY marine generator set is suitable for use on small boats, ready to give you all the power you need in complete peace of mind.

Motor

The Yanmar diesel-powered engine makes the VTE PAGURO 3SY generator set efficient and reliable.

Designed with stainless steel water/air heat exchanger.

Alternator

The PAGURO generator set alternator is synchronous, brushless, with **capacitor voltage regulator** and with class H insulation. Water-cooled by means of an AISI 316 L stainless steel heat exchanger. The capacitor voltage regulator avoids voltage swings and does not allow to burn sensitive electronic devices such as PC, smartphone or household appliances in general.

Included in the PAGURO 3SY generator you will find the battery charger for the dedicated 12 V / 8 A starter battery.



Soundproofing capsule and double anti-vibration system

The reinforced fiberglass capsule with composite layering and the high-density soundproofing material coating make this PAGURO 3SY marine genset one of the most silent compared to its competitors.

The capsule allows installation even in narrow spaces and this is due to its composition: two upper parts and one lower.

The **double anti-vibration system**, internal with 4 soft supports and external with 4 semi-elastic supports, finally makes the PAGURO 3SY marine generator stable even in less calm waters and silenced, so you can enjoy sailing without further worries.

TECHNICAL FEATURES VTE PAGURO 3SY

Fuel: Diesel

Engine RPM (RPM): 3000

Phase Type: Single-Phase

Single-Phase Continuous Power (KVA): 3

Frequency (Hz): 60

Voltage (V): 115

Motor: Yanmar L70N5

Start: Electric

Silenced: Supersilenced 53 dB(A)

Cooling: Air/water exchanger

Dry weight (Kg): 90

Length (mm): 615

Width (mm): 429

Height (mm): 525

If you are looking for another kind of product you can see the whole catalog of [marine generators](#).

Images and technical data are not binding.

Product features:

Phase: Single phase

Continuous power single phase (KW): 3

Continuous power single phase (KVA): 3

Fuel: Diesel

Frequency (Hz): 60

Voltage (V): 115

Engine: Yanmar L70N5

Engine rpm (rpm): 3000

Starting system: Electric



Shop name

Number cylinders: 1
Cooling: Heat exchanger air/water
Alternator: Synchronous, brushless
Consumption (L/h): 0.35
Acoustic pressure: 52 dB(A)
Length (mm): 615
Width (mm): 429
Height (mm): 525
Dry weight (Kg): 90
Silenced: Yes
Super silenced: Yes
Product type: Generator
Engine manufacturer: Yanmar



PrestaShop