



# CGM CS13000T THREE-PHASE GENERATOR STAGE V 13KVA

**Product price:**

**5.475,00 € tax excluded**

## **Product description:**

CGM CS13000T THREE-PHASE STAGE V 13KVA GENERATOR

CGM CS13000T Three-phase generator 13KVA with BRIGGS & STRATTON engine powered by STAGE V gasoline at 3000 rpm, compact and easy to use.

The CGM CS13000T generator consists of an NSM Made in Italy, self-excited brushless alternator with **AVR** voltage regulator. The generator is equipped with electric start with battery that allows a practical and fast use even when cold. The CGM CS13000T has a low fuel consumption, in fact it consumes only 4,9 liters/hour at 75% of the load.

The CGM CS13000T is part of the QUIET series because thanks to the hood has low noise emissions and is supersilenced. This generator is 3000 RPM, with BRIGGS & STRATTON diesel engine with electric start with key and battery.

## **Technical features of the CGM CS13000T:**

Phase Type: Three Phase

Maximum Power: 11,4KW

Continuous Power: 10,4KW

Maximum Power: 14,3KVA

Continuous Power: 13KVA

Fuel: Gasoline

Voltage: 400 V

Frequency: 50 Hz

Engine: BRIGGS & STRATTON 21HP

Cooling: Air

Number of Cylinders: 2

Emission Standard: Stage V

Engine RPM: 3000 rpm



Start: Electric  
Alternator: NSM made in Italy  
Tension regulator system: AVR  
Consumption: 4.9 Lt/h at 75% load  
Tank capacity: 50 Lt  
Autonomy: 10.2 h at 75% load  
Length: 1100 mm  
Width: 600 mm  
Height: 830 mm  
Weight: 224 Kg  
Super-silenced

Discover the full range of current generator of CGM on our catalog to find the one that best suits your needs.

Pictures and technical data not binding.

**Product features:**

Phase: Three phase  
Maximum power three phase (KW): 11.4  
Continuous power three phase (KW): 10.4  
Maximum power three phase (KVA): 14.3  
Continuous power three phase (KVA): 13  
Fuel: Gasoline  
Frequency (Hz): 50  
Voltage (V): 400  
Sockets configuration: n.1 presa CEE 16A 3P 230V, n.1 presa CEE 32A 3P 230V, n. 1 presa CEE 32A 5P 400V  
Engine: BRIGGS & STRATTON 21HP  
Emissions Regulations: Stage 5  
Engine rpm (rpm): 3000  
Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 627  
Number cylinders: 2  
Cooling: Air  
Alternator: NSM, made in Italy  
Fuel tank capacity (L): 50  
Consumption (L/h): 4.9 at 75% of the load





---

Running time (h): 10,2 al 75% del carico  
Length (mm): 1100  
Width (mm): 600  
Height (mm): 830  
Dry weight (Kg): 224  
Silenced: Yes  
Super silenced: Yes  
Product type: Generator  
Voltage regulator: AVR  
Engine manufacturer: Briggs&Stratton

