



GENERATOR SUPER SILENCED THREE-PHASE 33 KVA AVR

Product price:

7,933.00 € tax excluded

Product description:

GENERATOR SUPER SILENCED THREE-PHASE 33 KVA AVR

This generator three-phase is equipped with a BAUDOUIN 4M06G25/5 engine with Diesel power supply, capable of delivering a power of 33 KVA complete with **AVR voltage regulator**.

This generator set is equipped with electric start, with 12V battery, and is equipped with **DEEP SEA 4520 MKII** compact control panel, that monitoring a large number of engine parameters, the module is able to display warning, shutdown and engine status information on the backlit LCD display.

The generator is equipped with a soundproof cabin, thanks to which there is a drastic reduction of noise pollution, thanks to these features the generator can be considered super silenced.

The genset guarantees an efficient and silent operation thanks to the BAUDOUIN 4M06G25/5 engine, which can deliver a maximum power of 33KVA. This generator, in addition, is equipped with electric or automatic start-up through ATS panel, which allows the ignition in case of blackout.

AUTOMATIC TRANSFER SWITCH ATS

The generator is predisposed for the use of automatic transfer switch ATS. Thanks to which you will no longer have to worry about blackouts because if the power supply fails this panel is able to automatically turn on the generator and allow you to continue your business without losing your work data.

VOLTAGE REGULATOR AVR

The AVR voltage regulator allows the generator to deliver stable energy and then be able to connect equipment with delicate electronics such as computers, appliances, smartphones and



tablets: the generator is therefore ideal for use at home, camping, for hobbies and leisure, but also for construction sites and craftsmen.

Control panel composition:

- 1 On/Off key;
- 2 Emergency stop button;
- 3 DEEP SEA® 4520 MKII control unit;
- 4 Main switch of primary brand.

TECHNICAL CHARACTERISTICS

Phase type: Three-phase

Maximum power: 33 KVA / 26.4 KW Continuous use power: 30 KVA / 24 KW

Voltage: 400 V Frequency: 50 Hz

Engine: BAUDOUIN 4M06G25 / 5

Fuel: Diesel

Starting: Electric / Automatic Socket panel: Terminal board Emissions standard: Not emitted Voltage regulator: AVR AS540

Tank capacity: 90 I

Consumption: 5.4 Lt / h at 75% load

Autonomy: 16 h at 75% load

Length: 930 mm Width: 2100 mm Height: 1280 mm Dry weight: 750 Kg

Are you looking for a generator with different technical characteristics? <u>HERE</u> you can find the area dedicated to generator of specialized brands.

Images and technical data are not binding

Product features:

Phase: Three phase

Maximum power three phase (KW): 26.4



Continuous power three phase (KW): 24 Maximum power three phase (KVA): 33 Continuous power three phase (KVA): 30

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 400

Sockets configuration: Morsettiera Engine: BAUDOUIN 4M06G25/5

Emissions Regulations: Stationary Use

Engine rpm (rpm): 1500 Speed governor: Electronic

Starting system: Elettrico / Automatico

Engine capacity (cm³): 2300

Number cylinders: 4

Cooling: Water

Alternator: STAMFORD S0L2-G

Poles: 4

Fuel tank capacity (L): 90

Consumption (L/h): 5.4 al 75% del carico Running time (h): 16 to 75% of the load

Length (mm): 930 Width (mm): 2100 Height (mm): 1280 Dry weight (Kg): 750

Silenced: Yes

Super silenced: Yes Product type: Generator ATS Switch device: Optional

Voltage regulator: AVR

Engine manufacturer: BAUDOUIN Precision of voltage regulation: ± 1%

