



TECNOGEN H15000SS

Product description:

TECNOGEN H15000SS 10.4 KW generator set

TECNOGEN H15000SS single-phase 10.4 KW generator set with 3000 rpm Honda engine fueled by petrol. The TECNOGEN H15000SS generator set is easy to use and is small in size, handy and easy to maintain. The TECNOGEN H15000SS generator set is equipped with an electric start. This generator set is perfect for both hobby and professional use, thanks to the reliable Honda petrol engine and all the high quality components it is made of.

Why buy a H15000SS generator set?

First of all they solve problems of lack of electricity during blackouts in different environments, from homes to companies. The TECNOGEN H15000SS generator is also used to supply electricity on construction sites and for hobby use. The professional generators are light machines, easy to transport, compact and robust, simple to use and with low running costs. They also have an excellent quality / price ratio.

On the TECNOGEN H15000SS generator it is possible to install lifting hooks, very convenient for moving the power generator with an overhead crane or with a small crane.

The main features are as follows:

Single-phase maximum power: 10.4 KW

Single-phase maximum power: 13 KVA

Fuel: Petrol

Voltage: 230 V

Frequency: 50 Hz

Engine: Honda GX690

Starting: Electric

Length: 1070 mm

Width: 560 mm

Height: 930 mm

Weight: 210 Kg



The entire TECNOGEN range

TECNOGEN generator sets are available in both single-phase and three-phase versions, with powers from 2.3 to 21 KVA MAX, equipped with gasoline or diesel engines, air-cooled, 3000 rpm, with electric and / or manual starting with self-winding. Compact, simplified and economical, they boast an excellent price / performance / size and weight ratio. Easily transportable thanks to the reduced dimensions due to an essential set-up, they are suitable for all those who need an economical source of energy, however assembled with first-rate components that guarantee absolute reliability. Thanks to the latest generation Honda engines, the TECNOGEN petrol versions of the COMPACT line fall within the parameters of the noise directive 2000/14 / EC.

Are you looking for a different model of current generator or generating set? Visit the section dedicated to [land generators](#).

Pictures and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 10.4

Maximum power single phase (KVA): 13

Fuel: Gasoline

Frequency (Hz): 50

Voltage (V): 230

Engine: HONDA GC160

Emissions Regulations: Stage 5

Engine rpm (rpm): 3000

Starting system: Electric

Engine capacity (cm³): 688

Number cylinders: 2

Cooling: Air

Fuel tank capacity (L): 20

Consumption (L/h): 7

Running time (h): 2.8

Acoustic power: 88 dB(A)

Length (mm): 1070

Width (mm): 560

Height (mm): 930

Dry weight (Kg): 210

Silenced: No

Super silenced: Yes

ATS Switch device : Optional

Voltage regulator: No

Engine manufacturer: Honda



Shop name



PrestaShop